

# FiberTech F-51MR Mold Resistant Sealer Coat

Safety Data Sheet

Date of issue: 11/30/2015

Revision date: 07/14/2016

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	FiberTech F-51MR Mold Resistant Sealer Coat
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Paint, Latex
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Environmental Coatings, Inc.
Supplier Address	36 Eagle Rock Way Montclair, NJ 07042
Supplier Phone Number	Phone: (973) 509-9456 Fax: (973) 509-9460
Supplier Website	www.eciproducts.com
Emergency telephone number	
Company Emergency Phone Number	CHEMTREC: (800) 424-9300


## 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 2

## GHS Label elements, including precautionary statements



## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

58.5087% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Harmful to aquatic life with long lasting effects

### Interactions with Other Chemicals

No information available.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Limestone	1317-65-3	15 - 40	*
Titanium dioxide	13463-67-7	3 - 7	*
Zinc oxide	1314-13-2	1 - 5	*
Propylene Glycol	57-55-6	1 - 5	*
Ammonium hydroxide	1336-21-6	0.1 - 1	*
Methyl 2-benzimidazole carbamate	10605-21-7	0.1 - 1	*

The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

General Advice S	Show this safety data sheet to the doctor in attendance.
------------------	--

- **Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected areas. Get medical attention if irritation develops or persists.
- Skin contact Wash with soap and water.
- Inhalation Remove to fresh air.
- Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

## Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

## Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES** Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient. Specific hazards arising from the chemical No information available. **Uniform Fire Code** Irritant: Liquid **Hazardous Combustion Products** Carbon oxides. Explosion Data Sensitivity to Mechanical Impact No. Sensitivity to Static Discharge No. Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures **Personal precautions** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. **Other Information** Refer to protective measures listed in Sections 7 and 8. **Environmental precautions Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
Conditions for safe storage, includi	ng any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Products	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone	-	TWA: 15 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> respirable dust
1317-65-3		TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> total dust
		(vacated) TWA: 15 mg/m <sup>3</sup>	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
Zinc oxide	STEL: 10 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup>
1314-13-2	fraction	TWA: 15 mg/m <sup>3</sup> total dust	Ceiling: 15 mg/m <sup>3</sup> dust
	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> dust and fume
	fraction	fraction	STEL: 10 mg/m <sup>3</sup> fume
		(vacated) TWA: 5 mg/m <sup>3</sup> fume	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
		(vacated) STEL: 10 mg/m <sup>3</sup> fume	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers Eyewash

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side shields (or goggles). None required for consumer use.

Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical state	Liquid		
Appearance	White & Multiple Colors	Odor	No data available
Color	No information available	Odor Threshold	No information available
Property	Values	Remarks Method	
pH	8+	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	>37.78° C (>100° F)	None known	
Flash Point	93° C (>200° F)	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air	No data avallable	NOTE KIOWI	
-	No data availabla		
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.516	None known	
Water Solubility	Soluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	erNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

## **Other Information**

Softening Point VOC Content (%) **Particle Size Particle Size Distribution** 

No data available 47.15%(V/V), 31.24%(V/w) No data available

# **10. STABILITY AND REACTIVITY**

### **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Zinc oxide 1314-13-2	= 5000 mg/kg (Rat)	-	-
Propylene glycol 57-55-6	> 20000 mg/kg (Rat)	> 20800 mg/kg (Rabbit)	-
Ammonium hydroxide 1336-21-6	> 350 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.

## Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		Х
13463-67-7				
ACGIH (American Conference of Governmental Industrial Hygienists)				

Accim (American Connectice of Covernmental Industrial Hygichists) A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure	No information available.
------------------------	---------------------------

STOT - repeated exposure	No information available.
--------------------------	---------------------------

- Chronic Toxicity No known effect based on information supplied. Contains a known or suspected carcinogen. Titanium dioxide has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation.
- Target Organ Effects
   Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lungs. System Toxicity.
- Aspiration Hazard No information available.

#### Numerical measures of toxicity Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 27,868.00 mg/kg

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Propylene glycol 57-55-6	96h EC50: = 19000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 51600 mg/L (Oncorhynchus mykiss) 96h LC50: = 41 – 47 mL/L (Oncorhynchus mykiss) 96h LC50: = 51400 mg/L (Pimephales promelas) 96h LC50: = 710 mg/L (Pimephales promelas)		24h EC50: > 10000 mg/L 48h EC50: > 1000 mg/L
Ammonium hydroxide 1336-21-6		96h LC50: = 8.2 mg/L (Pimephales promelas)		48h EC50: = 0.66 mg/L

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

## Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	U372

### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Zinc oxide 1314-13-2	Toxic
Ammonium hydroxide 1336-21-6	Toxic Corrosive

# **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class Marine Pollutant	Not regulated N/A Product is a marine pollutant according to the criteria set by IMDG/IMO
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
	15. REGULATORY INFORMATION
International Inventories	
TSCA DSL	Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc oxide – 1314-13-2	1314-13-2	1 - 5	1.0
Ammonium hydroxide – 1336-21-6	1336-21-6	0.1 - 1	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	Yes		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide 1314-13-2		X		
Ammonium hydroxide 1336-21-6	1000 lb			Х

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ammonium hydroxide 1336-21-6	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

### US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Limestone 1317-65-3	Х	Х	Х		
Titanium dioxide 13463-67-7	Х	Х	Х		
Zinc oxide 1314-13-2	Х	Х	Х	Х	
Propylene glycol 57-55-6	Х		Х		
Ammonium hydroxide 1336-21-6	X	X	Х	Х	

### International Regulations

## Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Limestone		Mexico: TWA= 10 mg/m <sup>3</sup>
1317-65-3(15 - 40)		Mexico: STEL= 20 mg/m <sup>3</sup>
Titanium dioxide		Mexico: TWA= 10 mg/m <sup>3</sup>
13463-67-7(10 - 30)		Mexico: STEL= 20 mg/m <sup>3</sup>
Zinc Oxide		Mexico: TWA= 5 mg/m <sup>3</sup>
1314-13-2(1-5)		Mexico: TWA= $10 \text{ mg/m}^3$
		Mexico: STEL= 20 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens A3 - Confirmed Animal Carcinogen

Canada WHMIS Hazard Class Not determined

16. OTHER INFORMATION						
NFPA	Health Hazards	2	Flammability	2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards	2 *	Flammability	2	<b>Physical Hazard</b> 0	
Chronic Hazard Star Legend * = Chronic Health Hazard						

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### End of Safety Data Sheet